



	SOIL CONDITIONING	NUTRITION					
PRODUCT	REVITALIZE + GROMATE	FULFIL	TRAPEAZE	BEYOND FOLIAR 11-6-9	BEYOND FOLIAR 3-10-15	AGRODEX CAB	AGRODEX K35
APPLICATION RATES	2.5L/HA 5-10L/HA	500ML/HA	5L/HA	10L/HA	10L/HA	5L/HA	4L/HA
GROWTH STAGE							
PRE PLANT	✓						
2 WEEKS POST PLANT							
7-10 DAYS PRE FLOWER			✓			✓	
FLOWERING		✓	✓	✓		✓	
FRUIT SET		✓		✓	✓	✓	
FRUIT BULKING					✓	✓	✓
FINISHING (COLOUR)							✓

✓ Shows application of product and timing

✓ ✓ Shows two applications of product during this growth period.

In the AgroBest Egg Plant nutritional program, a cost effective combination of micronutrients, trace elements and NPK plant foods are used to ensure flowering, fruit set, yield and quality.

NPK levels are controlled to accommodate various growth stages. The program also includes FulFil, a unique formulation of natural growth promotants, which has proven to substantially increase flowering and fruit set.

Frequent applications of calcium are recommended to maintain yield potential and quality. We recommend AgroDex Ca Plus Boron for high uptake foliar Calcium. The product has Boron and Nitrogen for increased efficiency. For those using Cal Nitrate we recommend CalMate, to increase uptake.

To ripen and fill the crop we also recommend AgroDex K35, AgroDex K35 is the ideal product for application at this time as it contains no chloride or nitrate which, can result in late leaf flush. K35 also contains natural plant regulators and organic acids to assist with improved yield. Post harvest application is recommended to build reserves for following season.

For ease of application AgroBest products are compatible with many insecticides, herbicides and fungicides.

AgroBest Australia recommends that regular soil and plant tissue analysis be carried out for maintenance of correct nutritional levels.

#### NOTES

- Use NPK 11-6-9 earlier and 3-10-15 later in season for a balanced foliar spray with Trace Elements.
- Monitor nutrient status through tissue analysis, and adjust timing and application of plant foods accordingly.
- AgroDex CaB is applied as a foliar spray and if calcium is used through irrigation Carbo Cal at the rate of 10L/Ha is the preferred product.
- AgroDex K35 - Apply 3 weeks before harvest then every 7 days.

This program is designed to augment a soil fertility program and is offered as a guide only and dependent on growing conditions i.e. soil, climate, disease etc. Observe correct spray procedures as factors such as temperature, humidity, water rates can effect results. Always check compatibility before mixing products. Grower assumes all responsibility. Monitor nutrient status through tissue and soil analysis.