



	SOIL CONDITIONING	NUTRITION				
PRODUCT	REVITALIZE + FISH EMULSION	FULFIL	MULTITRACE WARRIOR	AGRODEX CAB	BEYOND FOLIAR 3-10-15	AGRODEX K35
APPLICATION RATES	2.5L/HA 5-10L/HA	500ML/HA	2.5L/HA	5L/HA	10L/HA	4L/HA
GROWTH STAGE						
DORMANCY	✓					
PETAL FALL		✓✓	✓	✓		
FRUIT BULKING		✓	✓	✓	✓	
FRUIT FINISHING				✓		✓✓
AUTUMN					✓	

✓ Shows application of product and timing ✓✓ Shows two applications of product during this growth period.

In the AgroBest Kiwi Fruit nutritional program, a cost effective combination of micronutrients, trace elements and NPK plant foods are used to ensure flowering, fruit set, yield and quality.

NPK levels are controlled to accommodate various growth stages. The program also includes FulFil, a unique formulation of natural growth promotants which, has proven to substantially increase flowering and fruit set.

Frequent applications of calcium are recommended to maintain yield potential and quality. We recommend AgroDex Ca Plus Boron for high uptake foliar Calcium. The product has Boron and Nitrogen for increased efficiency.

To ripen and fill the crop we also recommend AgroDex K35, AgroDex K35 is the ideal product for application at this time as it contains no chloride or nitrate which, can result in late leaf flush. K35 also contains natural plant regulators and organic acids to assist with improved yield. Post harvest application is recommended to build reserves for following season.

For ease of application AgroBest products are compatible with many insecticides, herbicides and fungicides.

AgroBest Australia recommends that regular soil and plant tissue analysis be carried out for maintenance of correct nutritional levels.

NOTES

- Apply Fulfil twice at petal fall, and again 4 weeks later. Micronutrients may be applied at the same time.
- Apply AgroDex CaB and 3-10-15 during fruit bulking at fortnightly intervals.
- Use AgroDex K35 to improve colour, sugar and flavor, apply twice 3 weeks and 1 week pre harvest.
- Apply 3-10-15 before leaf drop in autumn to increase plant carbohydrates, improving over wintering and bud burst.

This program is designed to augment a soil fertility program and is offered as a guide only and dependent on growing conditions i.e. soil, climate, disease etc. Observe correct spray procedures as factors such as temperature, humidity, water rates can effect results. Always check compatibility before mixing products. Grower assumes all responsibility. Monitor nutrient status through tissue and soil analysis.