



Date of issue: 12/03/2007

Not Classified as hazardous according to the criteria of Worksafe Australia.

1. IDENTIFICATION

1.1 General

Product Name: AGRODEX P & K

Suppliers Name: AgroBest Australia Pty.Ltd.
9 Palings Court, Nerang QLD 4211
07 55960622

UN No.: 00584-08-7

Dangerous Goods Class: None allocated

Subsidiary Risk: None Allocated

Hazchem Code: None Allocated

Uses: Fertiliser

1.2 Physical Description / Properties

Appearance: Liquid Dark Solution with earthy odour

Formula: Proprietary

Formula Weight: 138.21 of original salt

Boiling Point: N/A

Melting Point: N/A

Vapor Pressure (mmHg): N/A

Vapor Density (air = 1): N/A

Specific Gravity: 1.32

Evaporation Rate (Butyl Acetate = 1): N/A

PH: 6.6

1.3 Other Properties

Soluble in water

1.4 Ingredients

Potassium and phosphorous compounds

Chemical Name Potassium Citrate **CAS No:** 866-84-2

Potassium Lactate **CAS No:** 996-31-6

Potassium Phosphate **CAS No:** 7778-53-2

Potassium Phosphite **CAS No:** 13492-26-1

2. HEALTH HAZARD INFORMATION

2.1 Health Effects Acute

Swallowed: Adverse effects are not expected.

Eye: Contact may result in irritation.

Skin: Adverse effects are not expected.

Inhaled: Adverse effects are not expected.

2.2 Health Effects – Chronic

Skin: Skin sensation may occur if frequently handled by hypersensitive persons.

2.3 First Aid

Swallowed: If swallowed, seek medical advice immediately. Rinse mouth out. Ingestion may cause diarrhea, nausea, vomiting and cramps.

Eye: If eye contact occurs, wash open eyes thoroughly under running water for 15 minutes. Seek medical attention if irritation persists.

Skin: If skin contact occurs. Wash thoroughly under running water. Remove contaminated clothing and launder thoroughly before re-use.

Inhaled: If discomfort is felt after inhalation, remove affected person to fresh air. If effects persist seek medical advice.

2.4 First Aid Facilities

Ensure an eye bath and safety shower are available and ready for use.

2.5 Advice to Doctor

Treat Symptomatically.

2.6 Toxicity Data

Low Toxicity

Calculated Rabbit Dermal LD50 > 40,000mg/kg

Calculated Rat Oral LD50 < 70,000mg/kg.

3. PRECAUTIONS FOR USE

3.1 Exposure Standards

An exposure standard has not been established however the following is recommended. TWA 10 mg/m³

3.2 Engineering Controls

Ensure workplace is well ventilated to maintain air concentrations below exposure standard.

3.3 Personal Protection

Protective clothing including gloves and eye protection recommended at all times. Wash hands and face thoroughly before work breaks and before going home.

3.4 Flammability

Flash point above 268c COC.

Volatility 6% max at 363 F. Stable in the presence of light and moisture.

4. SAFE HANDLING INFORMATION

4.1 Storage / Transport

Not classified as a dangerous good for transport by road or rail. Not classified as a dangerous good for storage. Keep containers tightly sealed. Store in a cool, dry area. Ensure all storage areas are well ventilated. Protect from heat, moisture and light.

4.2 Packaging / Labeling

Safety Phrases: Keep out of reach of children

4.3 Spills and Disposal

Slippery when spilt. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Contain and absorb spill with sand, earth, inert material or vermiculite. Place in a suitable labeled container or area for waste disposal.

Recycle wherever possible. Small amounts of waste can be disposed together with industrial waste to approved landfill in accordance with local regulations. Flush away spill area residues with copious amounts of water.

4.4 Fire and Explosion

Not applicable.

5. OTHER INFORMATION

5.1 Other Information:

This product is Biodegradable

6. CONTACT POINT

**AgroBest Australia Pty. Ltd.
Poisons Information Centre**

**07 55 960 622
131126**