



Date of issue: 12/03/2007

Not Classified as hazardous according to the criteria of Worksafe Australia.

1. IDENTIFICATION

1.1 General

Product Name: **AGRODEX FE**
Suppliers Name: AgroBest Australia Pty. Ltd.
 9 Palings Court, Nerang QLD 4211
 07 55960622

UN No.: N/A
Dangerous Goods Class: None allocated
Subsidiary Risk: None Allocated
Hazchem Code: None Allocated
Uses: Fertiliser

1.2 Physical Description / Properties

Appearance: Dark Brown Liquid, slight odour
Formula: N/A
Boiling Point: N/A
Melting Point: N/A
Vapor Pressure (mmHg): N/A
Vapor Density (air = 1): N/A
Specific Gravity: 1.20
Evaporation Rate (Butyl Acetate = 1): N/A
PH: 3-4

1.3 Other Properties

Soluble in water

1.4 Ingredients

Iron Organic Chelated Compounds
Chemical Name Ferrous Sulphate **CAS No:** 7720-78-7

2. HEALTH HAZARD INFORMATION

2.1 Health Effects Acute

Swallowed: May cause vomiting, diarrhoea, and as a sensation of hotness.
Eye: Mildly irritating to the eyes.
Skin: Adverse effects are not expected.
Inhaled: Adverse effects are not expected.

2.2 Health Effects – Chronic

Skin: Skin sensitisation may occur if frequently handled by hypersensitive persons.
Inhaled: Excessive inhalation and or ingestion of trace minerals salts may affect the kidneys, lungs and thyroid.

2.3 First Aid

Swallowed: If swallowed, seek medical advise immediately. Rinse mouth out. Ingestion may course diarrhea, nausea, vomiting and cramps.
Eye: If eye contact occurs, wash open eyes thoroughly under running water for 15 minutes. Seek medical attention if irritation persists.
Skin: If skin contact occurs. Wash thoroughly under running water. Remove contaminated clothing and launder thoroughly before re-use.
Inhaled: If discomfort is felt after inhalation , remove affected person to fresh air. If effects persist seek medical advice.

2.4 First Aid Facilities

Ensure an eye bath and safety shower are available and ready for use.

2.5 Advice to Doctor
Treat Symptomatically.

2.6 Toxicity Data
Low Toxicity
Calculated Rabbit Dermal LD50 > 40,000mg/kg
Calculated Rat Oral LD50 < 70,000mg/kg.

3. PRECAUTIONS FOR USE

3.1 Exposure Standards
An exposure standard has not been established however the following is recommended. TWA 10 mg/m³

3.2 Engineering Controls
Ensure workplace is well ventilated to maintain air concentrations below exposure standard.

3.3 Personal Protection
Protective clothing including gloves and eye protection recommended at all times. Wash hands and face thoroughly before work breaks and before going home.

3.4 Flammability
Flash point above 268c COC.
Volatility 6% max at 363 F. Stable in the presence of light and moisture.

4. SAFE HANDLING INFORMATION

4.1 Storage / Transport
Not classified as a dangerous good for transport by road or rail. Not classified as a dangerous good for storage. Keep containers tightly sealed. Store in a cool, dry area. Ensure all storage areas are well ventilated. Protect from heat, moisture and light.

4.2 Packaging / Labeling
Safety Phrases: Keep out of reach of children

4.3 Spills an Disposal
Slippery when spilt. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Contain and absorb spill with sand, earth, inert material or vermiculite. Place in a suitable labeled container or area for waste disposal. Recycle wherever possible. Small amounts of waste can be disposed together with industrial waste to approved landfill in accordance with local regulations. Flush away spill area residues with copious amounts of water.

4.4 Fire and Explosion
Not applicable.

5. OTHER INFORMATION

5.1 Other Information:
This product is Biodegradable

6. CONTACT POINT

AgroBest Australia Pty. Ltd. 07 55 960 622

Poisons Information Centre 131126