

# AVOCADO



	SOIL CONDITIONING		NUTRITION					
PRODUCT	REVITALIZE + GROMATE	FULFIL	TRAPEAZE	AGRODEX BORON	AGRODEX CAB	AGRODEX ZN	AGRODEX K35	BEYOND FOLIAR 3-10-15
APPLICATION RATES	2.5L/HA 10L/HA	1L/HA	6L/HA	1L/HA	3L/HA	1L/HA	4L/HA	10L/HA
<b>GROWTH STAGE</b>								
BUD DEVELOPMENT			○	○				
FLOWERING		○			○			
FRUIT SET			○		○			
SPRING VEGETATIVE FLUSH	○					○		
EARLY FRUIT DEVELOPMENT				○	○			○
SUMMER FLUSH					○	○		○
FRUIT MATURATION		○			○		○ ○	
POST HARVEST	○							○

- Shows application of product and timing
- ○ Shows two applications of product during this growth period.

#### NOTES

- Above rates are for foliar application with the exception of Revitalize.
- Alternatively, above products can be applied through fertigation (exceptions: Agrodex K35 & Fulfil)
- Apply Boron pre flowering and again in summer, foliar or soil applied if required.
- For Magnesium levels check pH, soil and tissue analysis to determine the need of this important element.
- Adjust Plant Food rates according to plant vigor and results of analysis.
- Adjust Agrodex K35 rates according to crop load
- NPK builds up tree/vine to give stronger healthier growth next season with more even flowering and higher retention of fruit.

This program is designed to augment a soil fertility program and is offered as a guide only and dependant on growing conditions i.e. soil, climate, disease etc. Observe correct spray procedures as factors such as temperature, humidity, water rates can effect results. Always check compatibility before mixing products. Grower assumes all responsibility. Tissue analysis should be sought to monitor nutrient status.