

MELON



	NUTRITION													
PRODUCT	GROMATE	KICKSTART Bio 25	AGRODEX Zn	AGRODEX Mo	AGRODEX B	TRAPEAZE	CALMATE (A)	CARBO CAL	FULFIL	BEYOND FOLIAR 3-10-15	AGRODEX SKO	AGRODEX K35	ENVY	
APPLICATION RATES	10L/HA	10L/HA	2L/HA	500ML/HA	5L/HA	2.5L/HA	10L/HA	10L/HA	1L/HA	10L/HA	5L/HA	5L/HA	10L/HA	
GROWTH STAGE														
POST PLANT	○	○	○				APPLY WITH CALCIUM OR POTASSIUM NITRATE THROUGH IRRIGATION. MAXIMUM 20L/HA PER SEASON							
PLANTING		○		○										
RUNNING					○			○				○		
AT BUDDING						○		○				○		
AT FLOWERING						○		○	○	○	○	○		
PRE HARVEST								○					B ○ ○ ○	C ○

- Shows application of product and timing
- ○ Shows two applications of product during this growth period.

NOTES

- A. Apply first application at early flowering then second application 14 days later to improve set and extend flowering.
- B. Apply 2 applications the first 4 weeks before harvest and the second 2 weeks later to maximise size, fruit colour and shelf life.
- C. Apply Pre Harvest to prevent sunburn

N.B. Calmate can be used with Cal Nitrate & Potassium Nitrate to increase uptake.

This program is designed to augment a soil fertility program and is offered as a guide only and dependant on growing conditions i.e. soil, climate, disease etc. Observe correct spray procedures as factors such as temperature, humidity, water rates can effect results. Always check compatibility before mixing products. Grower assumes all responsibility. Monitor nutrient status through tissue and soil analysis.