

# STRAWBERRY



	SOIL CONDITIONING		NUTRITION						
PRODUCT	REVITALIZE	CALMATE	FULFIL	BEYOND FOLIAR 3-10-15	AGRODEX BORON	AGRODEX ZN	AGRODEX MG	CARBO CAL	AGRODEX K35
APPLICATION RATES	2.5L/HA	5L/HA	1L/HA	10L/HA	3L/HA	1L/HA	3L/HA	10L/HA	8L/HA
<b>GROWTH STAGE</b>									
PLANTING	○								
2 WEEKS PRE FLOWERING					○	○	○	○	
WHITE BUD							○	○	
FLOWERING		○	○	○	○	○	○	○	
FIRST WEEKLY		○		○			○	○	○
CONTINUED HARVEST		○		○		○	○	○	○

- Shows application of product and timing
- ○ Shows two applications of product during this growth period.

**NOTES**

- Agrodex CaB, Fulfil, Agrodex K35 or 3-10-15 applications from fruit set to end of harvest every 10-14 days or with American varieties apply on fruit flushes.
- Trace Elements - If leaf analysis shows extra trace elements are required, apply 2L per hectare of Micronutrients.
- For Potassium applications apply either 3-10-15 or Agrodex K35, do not apply both.
- For improved disease management, use Extra Cal with fungicidal sprays.
- Use Calmate with all soluble and liquid fertilizer applications.

This program is designed to augment a soil fertility program and is offered as a guide only and dependant on growing conditions i.e. soil, climate, disease etc. Observe correct spray procedures as factors such as temperature, humidity, water rates can effect results. Always check compatibility before mixing products. Grower assumes all responsibility. Tissue analysis should be sought to monitor nutrient status.