

FUZE Zinc

DESCRIPTION

FUZE Zinc is a fully chelated EDTA complex for the correction of zinc deficiencies and maintenance of growth in horticultural and broadacre crops.

ZINC'S ROLE

- Zinc is an important component of a range of enzymes responsible for driving many metabolic reactions in plants.
- Plays a beneficial role in hormone production

PRODUCT FEATURES

- Formulated to rapidly correct and prevent zinc deficiencies
- Protects trace elements from breakdown, giving increased stability in spray vat mixing
- Increased solubility and availability under a wide range of adverse environmental conditions ie extreme pH soil and/or water conditions
- Can be applied with a wide range of other agricultural chemicals, reducing the number of spray applications needed.

APPLICATION RATES

USE	LITRES/Ha	MINIMUM DILUTION	COMMENTS
Bananas	.5-1.5L	1: 100	Apply from early growth to bellling or as required
Broadacre - Cereals, canola, legumes	1-2L	1: 20	Apply from early emergence to tillering. Apply as water injection or in furrow at sowing in 50-100L/ha
Cotton	Foliar: 2-4L Water injection: 1.5-2 L	1: 20	Apply with compatible fungicide applications
Citrus	Foliar: 4-8L Fertigation: 5-10L	1: 100	Apply at spring flush
Flowering and foliage plants	Foliar: 3-6L Fertigation: 4-8L	1: 100	Apply in early growth stages
Fruit trees, tropical fruit tree , stone fruit, pome,	Foliar: 4-8L Fertigation: 5-10L	1: 100	Apply at green tip and post harvest in apples, pink bud and post harvest in stone fruit and spring flush in avocados. In tropical fruit trees, apply to active growing flush and post harvest
Trees, Olive	Foliar: 4-8L Fertigation: 5-10L	1: 100	Apply at spring flush
Leafy fruit & Vegetables	Foliar: 3-6L Fertigation: 4-8L	1: 100	Apply at 2-4 leaf stage in beans and at early stages of growth for other vegetables
Turf	20L	1:10	Apply as required especially to zinc deficient soil
Vines	Foliar: 3-6L Fertigation: 4-8L	1: 100	Apply at shoots 10cm long, 5% flower and post harvest

APPLICATION

All AgroBest nutrition products should be applied in conjunction with a specific nutrition program developed by an AgroBest consultant based on a suitable soil/sap analysis. FUZE Zinc can be applied by foliar spray, Fertigation and in Furrow. Avoid foliar application when ambient air temperature exceeds 35°C. Use higher rates for ground/irrigation applications. Rates can vary depending on crop, soil type, nutrient deficiency etc.

ANALYSIS

ANALYSIS	%w/v Aust.	%w/w Int.
Zinc as an EDTA	7.5%	6.0%

PRODUCT CHARACTERISTICS

S.G **1.2**
Colour **Clear Yellow**

SIZES

FUZE Zinc is available in three sizes:
20 Litre, 200 Litre, 1000 Litre

AGROBEST AUSTRALIA PTY.LTD. 9 Palings Court, Nerang Qld 4211
Ph: 07 55 960622 TOLL FREE: 1800 802 801 Fax: 07 55 960616
Website: www.agrobest.com.au